

iBiotec®

**MANUFACTURER OF TECHNICAL AEROSOLS AND PRODUCTS FOR INDUSTRY
PROCESSES - MRO - MAINTENANCE
ALTERNATIVE SOLVENTS 100% SAFE**

Datasheet - Last update: 1/21/2025

iBiotec® **BIOCLEAN® HP**

VERY HIGH PERFORMANCE CLEANING FOAM AEROSOL

**ODOURLESS, NON-ALLERGENIC FORMULA FREE FROM TOXIC COMPOUNDS DEGREASER,
CLEANER, DESCALER, WASHER CHARACTERISTICS, OPTIMUM
IMMEDIATELY EFFECTIVE ON HEAVY HYDROCARBONS, TAR
MINERAL OIL, VEGETABLE OIL, COMBUSTION RESIDUE, SOOT
SUITABLE FOR USE ON ALL MATERIALS INCLUDING POLYCARBONATES**

DESCRIPTION

iBiotec **BIOCLEAN HP** is a multifunction aerosol: degreaser, cleaner, cleanser.

Cleaning foam with high cleansing power. Eliminates all traces of dirt, including difficult stains such as tars, bitumen, animal and plant fats.

Glossy sheen on treated surfaces, including polished aluminium and stainless steel. Paradoxically, **BIOCLEAN HP** can be used on glass or transparent plastic surfaces after wiping them down.

BIOCLEAN HP cleaning foam aerosol can be applied on all materials, including plastics, metals and coated surfaces. Test before use on surfaces painted using water-based paints.

The compact foam ensures high-performance action on vertical surfaces.

BIOCLEAN HP is anti-static and non-flammable.

BIOCLEAN HP is free of unpleasant odours.

FIELDS OF USE

Cleaning of moulds.

Cleaning of industrial boiler shells and burners.

Cleaning of fork lift trucks.

Cleaning of chocks and engine blocks.

Cleaning of conveyor and transfer belts.

Cleaning of parts with standing water on board ships.

Cleaning of computer screens, keyboards and housings.

Degreasing of mechanisms.

General maintenance in industry.

Cleaning and refurbishment of machine tool structures.

Cleaning and refurbishment of office furniture, including melamine-coated wood.

TYPICAL PHYSICAL AND CHEMICAL PROPERTIES

PROPERTIE	STANDARD	VALUE	MEASUREMENT (UNIT)
Appearance	Visual	Liquid, clear	-
Colour	Visual	Colourless	-
Scent / Fragrance	-	Mint	-
Density at 25°C	NF EN ISO 12185	1008	g/l
Concentration of active ingredients	-	32	%
pH (neat)	NF T90-008	9.5	-
pH at 10%	NF T90-008	9.1	-
pH at 5%	NF T90-008	8.9	-
Flow Time Viscosity Cup 3	NF EN ISO 2431	23	s
Refractive index at 25°C	ISO 5661	1.3570	Indicator
Freezing point	ASTM D 97	-10	°C
Foaming at 5%	NFT 60188	1/1000/60/0/250	mn/ml/l.h-1
Hydrocarbon content	LPCH	0	%
Phosphate Content	LPCH	0	%
Chlorine content	GCMS	0	ppm
Heavy metals and metalloid content	GCMS	0	ppm
Wetting ability	-	...	Rating
Dispersing capacity	-	..	Rating
Emulsifying capability (power)	-	...	Rating
Descaling capacity	-	.	Rating

DIRECTIONS FOR USE

Shake the aerosol briefly. Spray onto the surfaces to be cleaned, from a distance of approximately 5 to 10 cm. The product is superactivated and is therefore effective instantaneously. Wipe with a soft cloth until no traces remain. Test before use on non-cured or chalking paints.

Aerosol usable in any position.

"Guaranteed without HFC greenhouse effect"



iBiotec® Tec Industries® Service
Z.I La Massane - 13210 Saint-Rémy de Provence – France
Tél. +33(0)4 90 92 74 70 – Fax. +33 (0)4 90 92 32 32
www.ibiotec.fr

USAGE RESERVE AUX UTILISATEURS PROFESSIONNELS

Consulter la fiche de données de sécurité.

Les renseignements figurant sur ce document sont basés sur l'état actuel de nos connaissances relatives au produit concerné. Ils sont donnés de bonne foi. Les caractéristiques y figurant ne peuvent être en aucun cas considérées comme spécifications de vente. L'attention des utilisateurs est en outre attirée sur les risques éventuellement encourus lorsqu'un produit est utilisé à d'autres usages que ceux pour lequel il est conçu. Parallèlement, le client s'engage à accepter nos conditions générales de marché de fournitures dans leur totalité, et plus particulièrement la garantie et clause limitative et exonératoire de Responsabilité. Ce document correspond à des secrets commerciaux et industriels qui sont la propriété de Tec Industries Service et, constituant un élément valorisé de son actif, ne saurait être communiqué à des tiers en vertu de la loi du 11 juillet 1979.